

CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

SUBJECT Observation of Missiles and Mobile Launchers at Soviet Military Installation in Budapest NO. PAGES REFERENCES RD DATE OF INFO. PLACE & DATE ACG. THIS IS UNEVALUATED INFORMATION. SOURCE GRADINGS ARE DEFINITIVE. APPRAISAL OF CONTE approximately No. 240 Ul18i ut (Vöröshadsereg ut), on the soft he street across from Ferihegy airport. It is situate about 20 meters above the level of the street. 2. inside the installation a shed housing an unspecified number of trailers which was loaded with what appeared to be a missile wrapped protective canvas. The canvas adhered to the missile showl outline as a cylinder of unvarying diameter. The come was and geometrically proportioned to the cylindrical body of the street in the stem end had protrusions which appeared to be stabilized. The missiles were 7 to 8 meters long and approximately 60 to meters in diameter. 3. Parked in the same shed with the trailers and missiles were number of half-tracked vehicles and three-axle trucks, both with launching ramps. C-O-N-F-I-D-E-N-T-I-A-L					-O-N-F	'-T-n-1	E_N_T.	_T _A _T.							50X1-HUM
Installation in Budapest NO. PAGES REFERENCES RD ALE OF NFO. THIS IS UNEVALUATED INFORMATION. SOURCE GRADINGS ARE DEFINITIVE. APPRAISAL OF CONTE approximately No. 240 Ul18i ut (V8r8shadsereg ut), on the sof the street across from Ferihegy airport. It is situate about 20 meters above the level of the street. 2. inside the installation a shed housing an unspecified number of trailers which was loaded with what appeared to be a missile wrapped protective canvas. The canvas adhered to the missile show outline as a cylinder of unvarying diameter. The cone was and geometrically proportioned to the cylindrical body of the stern end had protrusions which appeared to be stabilizable meters in diameter. 3. Parked in the same shed with the trailers and missiles were number of half-tracked vehicles and three-axle trucks, both with launching ramps.	ınga:	gary						REPOR'						-	
THIS IS UNEVALUATED INFORMATION. SOURCE GRADINGS ARE DEFINITIVE. APPRAISAL OF CONTE 1. a Soviet military installs is located approximately No. 240 Ull8i ut (Vöröshadsereg ut), on the sof the street across from Ferihegy airport. It is situate about 20 meters above the level of the street. 2. inside the installation a shed housing an unspecified number of trailers which was loaded with what appeared to be a missile wrapped protective canvas. The canvas adhered to the missile showl outline as a cylinder of unvarying diameter. The cone was and geometrically proportioned to the cylindrical body of the sterm end had protrusions which appeared to be stabilized the missiles were 7 to 8 meters long and approximately 60 to meters in diameter. 3. Parked in the same shed with the trailers and missiles were number of half-tracked vehicles and three-axle trucks, both with launching ramps.	aunci nstal	ncher calla	s at S	Soviet n Buda	Milita		ile	NO. PA	AGES		2	1931			
approximately No. 240 Ullbi ut (Vöröshadsereg ut), on the sof the street across from Ferihegy airport. It is situate about 20 meters above the level of the street. 2. inside the installation a shed housing an unspecified number of trailers which was loaded with what appeared to be a missile wrapped protective canvas. The canvas adhered to the missile showl outline as a cylinder of unvarying diameter. The cone was and geometrically proportioned to the cylindrical body of the stern end had protrusions which appeared to be stabilized the missiles were 7 to 8 meters long and approximately 60 to meters in diameter. 3. Parked in the same shed with the trailers and missiles were number of half-tracked vehicles and three-axle trucks, both with launching ramps.	LUAT	ATED	INFORM	ATION. SC	OURCE GR	RADINGS	ARE DE	FINITIVE	APPRAI	SAL O	F CONT	ENT IS T	ENTATIV		0X1-HUM
approximately No. 240 UllBi ut (Vöröshadsereg ut), on the sof the street across from Ferihegy airport. It is situate about 20 meters above the level of the street. 2. inside the installation a shed housing an unspecified number of trailers which was loaded with what appeared to be a missile wrapped protective canvas. The canvas adhered to the missile showl outline as a cylinder of unvarying diameter. The cone was and geometrically proportioned to the cylindrical body of the stern end had protrusions which appeared to be stabilized the missiles were 7 to 8 meters long and approximately 60 to meters in diameter. 3. Parked in the same shed with the trailers and missiles were number of half-tracked vehicles and three-axle trucks, both with launching ramps.															
approximately No. 240 UllBi ut (Vöröshadsereg ut), on the sof the street across from Ferihegy airport. It is situate about 20 meters above the level of the street. 2. inside the installation a shed housing an unspecified number of trailers which was loaded with what appeared to be a missile wrapped protective canvas. The canvas adhered to the missile showi outline as a cylinder of unvarying diameter. The cone was and geometrically proportioned to the cylindrical body of the stern end had protrusions which appeared to be stabilized the missiles were 7 to 8 meters long and approximately 60 the meters in diameter. 3. Parked in the same shed with the trailers and missiles were number of half-tracked vehicles and three-axle trucks, both with launching ramps.							a So	oviet n	nilitar	v in	stall	ation			
a shed housing an unspecified number of trailers which was loaded with what appeared to be a missile wrapped protective canvas. The canvas adhered to the missile show outline as a cylinder of unvarying diameter. The cone was and geometrically proportioned to the cylindrical body of the stern end had protrusions which appeared to be stabilized the missiles were 7 to 8 meters long and approximately 60 the meters in diameter. 3. Parked in the same shed with the trailers and missiles were number of half-tracked vehicles and three-axle trucks, both with launching ramps.	the	he s	reet	across	from	Ferihe	egy af	rport.	eg ut) l It	, or	the	south	50X1-h a hill	HUM L	
number of half-tracked vehicles and three-axle trucks, both with launching ramps.	roted utlin nd ge ne st ne mi	ch was section ine second geome stern	a she care care care care care care care car	ed hou ed wit vas ylinde lly pr had pr ere 7	sing a h what The ca r of u oporti otrusi	n unspapes nvas s nvaryi oned t ons wh	ared tadhered ing ditable to the thich are the thich are the the thich are the thick a	to be a ded to the lameter cyling appeare	missi he mis . The drical d to b	le w ssile con bod e st	rappe show e was y of abili	d in ing i tape: the m zing :	ts red issile fins		50X1-HUM
C-O-N-F-I-D-E-N-T-I-A-L	umber	er o	half	-track	ed veh	th the	e trai and t	lers s hree-s	nd mis xle tr	sile	s wer	e an i h equi	unspeci Ipped	ified	
				C	-0 -N -F	-I-D-E	E-N-T-	-I-A-L						(50X1-HUN 3 2
STATE X ARMY EV X NAVY X AIR EV X NSA X OCR OSI	Y EV	x v	NAVY	X	AIR E	v x	NSA	X	OCR		OSI	X	ORR	EV X	

C-O-N-F-I-D-E-N-T-I-A-L	
	50X1-HUM
1. Comment: The attached sketch shows the location installation to be identical with that of an unidentified A subordinate to the Headquarters of the Soviet Southern Group	AA brigade
(SGF) in Hungary (Budapest Installation No. 7	50X1-HUM
	C
	/
$_{ ext{C-O-N-F-I-D-E-N-T-I-A-L}}$	
<u> </u>	50X1-HUM

Sanitized Copy Approved for Release 2011/06/04 : CIA-RDP80T00246A060500290001-8
50X1-HUM

Sanitized Copy Approved for Release 2011/06/04: CIA-RDP80T00246A060500290001-8

CON	FI	DE		Course.	IA	ļ
-----	----	----	--	---------	----	---

N	N	F0	R	N
	.,	ľ		11

SUBJECT: USSR - Hungary

50X1-HUM 50X1-HUM

Undetermined Soviet mobile unit armed with missiles and stationed in Budapest.

- 1. This unit has been stationed here since after the autumn of 1956; the year is undetermined.
- 2. Quarters

In a barracks constructed since World War II, which has always been occupied by Soviet troops.

It stands on a hill, which hill is about 20 meters above the level of the $\ddot{\text{U}}\text{LL}\ddot{\text{O}}\text{I}$ UT.

It is situated on the southern side of the ULLOI UT, across from FERTIHEGY airport; it is about a with street address No 240 on the above mentioned street.

3. Description of the barracks

Sanitized Copy Approved for

(The numbers are keyed to those used on attached sketch No 1 in this report).

The barracks occupies a square area with 500 meter sides. It is enclosed by a wire fence which is stretched on concrete poles.

CONFIDENTIAL

NOFORN

& Cultivated fields which grow low vegetation surrounde it.

- 1) The entrance, in the second the No. 240 on ULLOI UT.
- 2) Bes. Guard office.
- 3) Garage and motor vehicle shop.

Masonery shed with tiled roof and covering an area of 20 x 200 meters.

- 4) An open parking area within wich trucks, trailers, radio care, radar trucks and mobile power units are parked.
- 5) An antimair craft radar ear in the open resembling the one in figure No 2

50X1-HUM

- 6) As above.
- 7) Three groups of tents.

Each group occupies an area of about 50×100 meters. The tents have the dimensions of 3×4 meters.

8) A shed closed on three sides, with a single peaked roof of Eternit.

Dimensions: 25 x 200 meters.

The trailers for the transportation of missiles and the vehicles carrying the ramps are garaged here.

9) Kitchen.

- 10) Mess half measuring 40 x 100 meters.
- 11) Shed
- 12) Officers quarters 1 structure
- 13) Quarters for officers with families 2 structures.

Sanitized Copy Approved for Release 2011/06/04 : CIA-RDP80T00246A060500290001-8 OFFICE NOTICE NOFORN

14)	A three-story building, including the ground floor; It has approximate				
	dimensions of 20 x 150 meters.				
	The unit headquarters is in this building, other others.	1			
15)	Barracks parade grounds.				
16)	Route from the entrance to the kitchen.	50X1-HUM			
17)	Route to go from the kitchen to the				
	garage, to pick up some oxygen bottles.				
18)	Route to exit from the barracks.	50X1-HUM			
4.	Commanding Officer				
. •	Of unknown rank.				
		50X1-HUM			
5.	Strength				
	About 2,000 liters of soup are prepared for each meal.				
6.	Known characteristics of the missiles observed				
	Type of employment: undetermined				
	Number of stages: undetermined				
	Shape: they are laid in a horizontal position on a trailer (1 to each				
	trailer) of two axels. with twin wheels				

trailer) of two axels, with twin wheels.

Prefective convos

They are wrapped in sodhering to the missile, showing its silhouette as a cylinder of silhouette.

The cone is streamlined and geometrically proportioned to the cylindrical body of the missile.

The stern end had protrusions which led one to believe that they were

stabalizing fins.

Length: 7 - 8 meters

Diameter: Judged to be 60 - 80 centimeters approximately.

The number of trailers loaded with missiles of the type described is unknown.

They were parked in the shed mentioned in number 8 of attached sketch number 1.

(See attached sketch Number 2 of this report which pictures the approximate silhouette of the trailers and the missile described above).

7. Mobile ramps

In the same shed mentioned in 8 of the attached sketch Number 1 there they were parked:

Half-tracked vehicles, with the tracks having a width of about \$780 centimeters and being of two types: The first type has the normal place for the transportation of personnel; the second type is equipped with a rump which is padded with canvas. The silhouette leads one to estimate that there is a plate of 50 - 60 centimeters thickness.

The dimensions are undetermined. The sides of the half-tracks have a two longitudinal steel plates which jut perpendicularly from the extreme sides of the row, travelling on the tracks, so that they appear as foot walks for the servers. They are 40 - 50 centimeters wide. (See attached next number 3 of this report which pictures the approximate silhouette of this type of half-track).

CONFIDENTIAL

NOFORN

There were also parked in the same shed, 3-axel trucks on which there was a ramp similar to those installed on the halftracks.

Length: Extended beyond the driver's cab, almost as far as a perpendicular line of the radiator;

Width: A little narrower than the body-phone because these vehicles also have runners or foot-walks on the sides;

Thickness: About 30 centimeters.

The ramps on these trucks were also padded with canvas. (See attached sketch Number 3 of this report which pictures the approximate silhouette of this type of truck on three axels with ramp).

The trailers loaded with missiles and the vehicles having ramps side by side along were parked lengthwise in the shed but it was not possible to determine whether they were in one or more rows.

8. Radar, radio and electronic gear noted In the shed - garage mentioned in Number 3 of the sketch, of the

bo

H	eracks attached Number 1 to this report, there were parked:	
	radio and radar cars were identified	50X1-HUM
	as being the one for those in	50X1-HUM
	figure 14 or figure 15 of CRITS/5/RAD, that is anti-aircraft	
-	figure 14 or figure 15 of CRITS/5/RAD, that is antipaircraft target acquisition radary and acquisition radary and acquisition radary and acquisition radary and acquisition acquisition and acquisition and acquisition and acquisition and acquisition and acquisition and acquisition acquisition and acquisition acquisition and acquisition acquisition and acquisition acquisition acquisition and acquisition acquisitio	£
	Number 5 and 6 of attached sketch Number 1 in this report) and	
	they were recognized as being like those in figure	50X1-HUM

CONFIDENTIAL NOFORM

CONFIDENTIAL NOFORN

50X1-HUM

Number 2	
In the area mentioned as Number 4 of attachment Number 1 of	of this
report, there were further parts:	
Trucks and trailers:	
About 15 power units on four wheels;	
Antiwair craft fire control cars recognized	as being
like those of figure Number 2	



CONFIDENTIAL NOFORM

.1

Attached Sketch Number 1

BARRACKS OCCUPIED BY UNDETERMINED

OF CREEK CONTROL OF THE PROPERTY OF THE PRO

Budapest, Hungary (1914 East/4727 North)

FERTHEGY AIRPORT

CONFIDENTIAL NOFORN

LEGEND

- 1) Entrance to street address 240 (approximate) on ULLOI UT.
- 2) Guard office.
- 3) Garage and motor vehicle workshop
- 4) Area in which there is uncovered parking for trucks, trailers, radio cars, radar ears and power generating units.
- 5) Anti-aircraft fire control radar truck.
- 6) Anti-aircraft fire control radar truck.
- 7) Three clusters of tents each cluster occupies an area of about 50 x 100 meters.
- 8) A shed closed on three sides under which are parked trailers loaded with missiles and vehicles equipped with ramps.
- 9) Kitchen
- 10) Mess hall
- 11) Shed
- 12) Officers quarters
- 13) Quarters for officers with families
- 14) Three story building including the ground floor, where the headquarters and other services are installed.
- 15) Barracks parade ground.

16)	Route	the	entrance to the kitchen.	50X1-HUM
17)	Route		to go to the garage and pick up an	
	oxygen bottle.			
181	Route		out of the hormocks	50X1-HUM

Sanitized Copy Approved for Release 2011/06/04 : CIA-RDP80T00246A060500290001-8 MOFORN

CONFIDENTIAL

Attached Sketch Number 2

TRAILOR WITH MISSILE - NOTED IN THE BARRACKS OF AN UNDETERMINED SOVIET UNIT STATIONED IN BUDAPEST ON ULLOI UT AT APPROXIMATELY NUMBER 240

1914 East/4727 North/Hungary

Sanitized Copy Approved for Release 2011/06/04: CIA-RDP80T00246A060500290001-8

CONFIDENTIAL NOFORN

Attached Sketch Number 3

a three-axel truck with a ramp, issued to an undetermined Soviet unit which is quartered in a Budapest barracks on ULLOI UT at approximately number 240.


Legend


- 1) Launching ramp
- 2) Stationary steel runners, bilateral, for the ramp servers, 40 - 50 centimeters wide.

half-tracked vehicle equipped with missile ramps, issued to an undetermined Soviet unit quartered in a Budapest barracks on ULLOI UT at approximately number 240.

Legend

- 1) Launching ramp
- 2) Bilateral stationary steel runners for the ramp servers, 40 - 50 centimeters wide.
- 3) Thickness of track: 80 centimeters.







Sanitized Copy Approved for Release	2011/06/04 : CIA-RDP80T00246A060500290001-8 50X1-HUM Nº2
(<u>E 191</u>	4/4727 N-
7÷8	28 - C - C - C - C - C - C - C - C - C -
	50X1-HUM
	a. wit wice.

